

Staff Report

For City Council Meeting - 11/3/2021

Subject - New Business - Public Works Hazard Mitigation Funds Request

Synopsis: Public Works Director, Mark McFadden, is requesting hazard mitigation funds up to \$17,925 to purchase two fuel tanks. His explanatory statement is below:

Gearhart City Council, I am asking to use \$17,924.72 from the City Hazard Mitigation fund to purchase two fuel tanks. One tank will be 650 gallons and located next to our Diesel tank at the water treatment facility. I picked this location because of the rock columns installed underground that protect the tanks and building from earthquakes. After our last major storm, the City crew was unable to get gas needed for vehicles and equipment, and luckily, the City of Seaside bailed us out by letting us use their gas. The other tank is a 200 gallon tank that will be located at the City shops. This tank will be used to fuel small equipment like saws, mowers, etc. I have one quote from Eagle tanks located in Aumsville, Oregon. I was not able to get any additional quotes that met the specs I was looking for. Thank you, Mark McFadden - City of Gearhart Public Works Director

Council Options:

- 1) Approve the request for funds up to \$17,925;
- 2) Make an adjustment to the amount;
- 3) Deny the request.

Recommendation: Staff recommends funding the purchase of the two fuel tanks up to \$17,925 per Mark's statement.

Recommended Motion

Move to allow a \$17,925 allocation in hazard mitigation funds to purchase two fuel tanks.

Legal Analysis: N/A

Financial Analysis: The City currently has \$63,982.45 in the hazard mitigation fund.

Respectfully submitted,

Chad



Quote

9055 Porter Way SE Aumsville, OR 97325

5034481917

Fax # (503) 448-1927

Toll Free: 1-888-678-0698

www.eagletanks.com

NAME / ADDRESS

City of Gearhart PO Box 2510 Gearhart, OR 97138 DATE Quote # 8/10/2021 7675

TERMS

50% Down/Bal Due When Complete

Ship To:

698 Pacific Way Gearhart, OR 97138

FOB P.O. No.
Aumsville, OR

ITEM	QTY	DESCRIPTION	COST	TOTAL
650 DWR	1	650 GALLON DOUBLE WALL RECTANGULAR TANK BUILT UL-142 SPECS	7,129.00	7,129.00
		48"H-36"W-96"L 10GA MTL		
		1298LBS EXTERIOR; WHITE EPOXY INTERIOR: BARE STEEL		
ZD I C	126	GO FEW GIALO DAYS CERT A DRIVED DAYON DO HON COAR	6.00	016.00
ZINC	136	(SQ FT) ZINC PRIMER APPLIED PRIOR TO TOP COAT	6.00	816.00
VENT KIT (
4" E-VENT	2	4" EMERGENCY VENT	179.69	359.38
2" T-VENT		2"T-VENT ALUMINUM DBL OUTLET	55.34	110.68
PIPE 2" GALV		FEET, 2" PIPE SCH 40 GALVANIZED	24.75286	346.54
	- '	100-900 GALLON REQUIRED VENT KIT AS PER UL-142. INCLUDES 4"		816.60
		EMERGENCY VENT, 2" ATMOSPHERIC T-VENT AND EXTENSION		
4" FILL CAP	1	FILL CAP, 4" BRASS BODY MORRISON 178-1600AC	157.63	157.63
2" GAUGE 4	1	2" JARHEAD 46"-72" ADJUSTABLE TANK GAUGE (BJE p/n 009930)	118.15	118.15
BJ LEAK G		LEAK DETECTOR FOR THE INTERSTITIAL SPACE IN A DOUBLE-WALL TANK,	65.55	65.55
		FIELD ADJUSTABLE		
PRO20/M30				
PRO20-115P	1	GPI PRO20 20GPM transfer pump with M30 meter with total & cumalative total p/n GPI 503000-78	1,286.39	1,286.39
GPI FILTER	1	GPI Quick-Fit Filter Adapter Kit (adapter and 10 micron filter) p/n 129500-01	151.46	151.46
AUTO NOZ	1	AUTO SHUTOFF NOZZLE FOR UNLEADED GASOLINE (OPW 11APF-30FS)	158.18	158.18
3/4" SWIVEL		3/4" SWIVEL	55.68	55.68
3/4" x 20' HO	1	3/4" x 20" PARKER 811-12 FUEL TRANSFER HOSE. B20, DIESEL, GAS, ETHANOL, OIL. 300PSI 100R4	279.53	279.53
3/4" BREAK	1	3/4" BREAKAWAY	48.84	48.84
3/4" WHIP H		532327124-20869, Goodyear 3/4" X 8" Whip M x M Breakaway Hose	34.55	34.55
Sign-Gas	2	NFPA 704 Sign, 7.5 in x 7.5 in NFPA Ratings (1,3,0) - Use for Gasoline Fuel	12.00	24.00
Label-GAS	2	GAS [1" black letters, white background]	2.40	4.80
		GPI PRO20/M30 gas pump package (includes 20gpm pump, meter, 10 micron filter, 20ft		2,043.43
		of 3/4" hose, swivel, breakaway, & auto nozzle)		
		TOTAL		§11,146.36

Bid / Contract conditions include the following: This Bid/Contract is subject to and incorporates Eagle Tanks, Inc. Terms of Purchaser and Limited Warranty. Eagle Tanks, Inc. will require a 50% down payment with confirmed order prior to starting project. The remainder is due and payable upon completion and before delivery unless other billings arrangements are approved by Eagle Tanks, Inc. in writing. Any alterations or deviations from the above specifications involving extra costs of material and / or labor will only be executed upon written order for the same, and will become an extra charge over the sum(s) mentioned in this Bid/contract. A finance charge of 1.5% per month, which is an annual percentage rate of 18%, and will be charged on all past due accounts. All credit cards purchases of 10k or more are subject to 3% processing fee. ALL AGREEMENTS MUST BE MADE IN WRITING

ACCEPTANCE

You are hereby authorized to furnish all materials and labor required to complete the work mentioned in the above proposal for which signer agrees to pay the amount as specified above.

SIGNATURE	



Quote

9055 Porter Way SE Aumsville, OR 97325

5034481917

Fax # (503) 448-1927

Toll Free: 1-888-678-0698

www.eagletanks.com

NAME / ADDRESS

City of Gearhart PO Box 2510 Gearhart, OR 97138 DATE Quote # 8/10/2021 7676

TERMS

50% Down/Bal Due When Complete

Ship To:

698 Pacific Way Gearhart, OR 97138

FOB P.O. No.
Aumsville, OR

2 2 14	200 GALLON DOUBLE WALL RECTANGULAR TANK BUILT TO UL-142 SPECS 36"W-34L"W-48"H 605# EXTERIOR: WHITE EPOXY INTERIOR: BARE STEEL (SQ FT) ZINC PRIMER APPLIED PRIOR TO TOP COAT 4" EMERGENCY VENT 2"T-VENT ALUMINUM DBL OUTLET FEET, 2" PIPE SCH 40 GALVANIZED 100-900 GALLON REQUIRED VENT KIT AS PER UL-142. INCLUDES 4" EMERGENCY VENT, 2" ATMOSPHERIC T-VENT AND EXTENSION FILL CAP. 4" BRASS BODY MORRISON 178-1600AC	3,199.00 6.00 179.69 55.34 24.75286	3,199.00 378.00 359.38 110.68 346.54 816.60
2 2 14	4" EMERGENCY VENT 2"T-VENT ALUMINUM DBL OUTLET FEET, 2" PIPE SCH 40 GALVANIZED 100-900 GALLON REQUIRED VENT KIT AS PER UL-142. INCLUDES 4" EMERGENCY VENT, 2" ATMOSPHERIC T-VENT AND EXTENSION	179.69 55.34 24.75286	359.38 110.68 346.54
2 14	2"T-VENT ALUMINUM DBL OUTLET FEET, 2" PIPE SCH 40 GALVANIZED 100-900 GALLON REQUIRED VENT KIT AS PER UL-142. INCLUDES 4" EMERGENCY VENT, 2" ATMOSPHERIC T-VENT AND EXTENSION	55.34 24.75286	110.68 346.54
2 14	2"T-VENT ALUMINUM DBL OUTLET FEET, 2" PIPE SCH 40 GALVANIZED 100-900 GALLON REQUIRED VENT KIT AS PER UL-142. INCLUDES 4" EMERGENCY VENT, 2" ATMOSPHERIC T-VENT AND EXTENSION	55.34 24.75286	110.68 346.54
14	FEET, 2" PIPE SCH 40 GALVANIZED 100-900 GALLON REQUIRED VENT KIT AS PER UL-142. INCLUDES 4" EMERGENCY VENT, 2" ATMOSPHERIC T-VENT AND EXTENSION	24.75286	346.54
	100-900 GALLON REQUIRED VENT KIT AS PER UL-142. INCLUDES 4" EMERGENCY VENT, 2" ATMOSPHERIC T-VENT AND EXTENSION		
1	FILL CAP. 4" BRASS BODY MORRISON 178-1600AC	157.63	
	. /	157.63	157.63
1	2" JARHEAD 46"-72" ADJUSTABLE TANK GAUGE (BJE p/n 009930)	118.15	118.15
		65.55	65.55
1		1.006.00	1.006.00
1	503000-78	1,286.39	1,286.39
1	GPI Quick-Fit Filter Adapter Kit (adapter and 10 micron filter) p/n 129500-01	151.46	151.46
		158.18	158.18
1	3/4" SWIVEL	55.68	55.68
1		279.53	279.53
1		48.84	48.84
	532327124-20869, Goodyear 3/4" X 8" Whip M x M Breakaway Hose	34.55	34.55
	NFPA 704 Sign, 7.5 in x 7.5 in NFPA Ratings (1,3,0) - Use for Gasoline Fuel	12.00	24.00
2	GAS [1" black letters, white background]	2.40	4.80
	GPI PRO20/M30 gas pump package (includes 20gpm pump, meter, 10 micron filter, 20ft of 3/4" hose, swivel, breakaway, & auto nozzle)		2,043.43
	1 1 1 1 1 1 1 1 1 1 1 1	1 2" JARHEAD 46"-72" ADJUSTABLE TANK GAUGE (BJE p/n 009930) 1 LEAK DETECTOR FOR THE INTERSTITIAL SPACE IN A DOUBLE-WALL TANK, FIELD ADJUSTABLE 1 GPI PRO20 20GPM transfer pump with M30 meter with total & cumalative total p/n GPI 503000-78 1 GPI Quick-Fit Filter Adapter Kit (adapter and 10 micron filter) p/n 129500-01 1 AUTO SHUTOFF NOZZLE FOR UNLEADED GASOLINE (OPW 11APF-30FS) 1 3/4" SWIVEL 1 3/4" x 20" PARKER 811-12 FUEL TRANSFER HOSE. B20, DIESEL, GAS, ETHANOL, OIL. 300PSI 100R4 1 3/4" BREAKAWAY 1 532327124-20869, Goodyear 3/4" X 8" Whip M x M Breakaway Hose 2 NFPA 704 Sign, 7.5 in x 7.5 in NFPA Ratings (1,3,0) - Use for Gasoline Fuel 2 GAS [1" black letters, white background] GPI PRO20/M30 gas pump package (includes 20gpm pump, meter, 10 micron filter, 20ft of 3/4" hose, swivel, breakaway, & auto nozzle)	LEAK DETECTOR FOR THE INTERSTITIAL SPACE IN A DOUBLE-WALL TANK, FIELD ADJUSTABLE 1 GPI PRO20 20GPM transfer pump with M30 meter with total & cumalative total p/n GPI 503000-78 1 GPI Quick-Fit Filter Adapter Kit (adapter and 10 micron filter) p/n 129500-01 151.46 1 AUTO SHUTOFF NOZZLE FOR UNLEADED GASOLINE (OPW 11APF-30FS) 158.18 1 3/4" SWIVEL 55.68 1 3/4" x 20' ' PARKER 811-12 FUEL TRANSFER HOSE. B20, DIESEL, GAS, ETHANOL, OIL. 300PSI 100R4 1 3/4" BREAKAWAY 48.84 1 532327124-20869, Goodyear 3/4" X 8" Whip M x M Breakaway Hose 34.55 2 NFPA 704 Sign, 7.5 in x 7.5 in NFPA Ratings (1,3,0) - Use for Gasoline Fuel GAS [1" black letters, white background] 2.40 GPI PRO20/M30 gas pump package (includes 20gpm pump, meter, 10 micron filter, 20ft)

Bid / Contract conditions include the following: This Bid/Contract is subject to and incorporates Eagle Tanks, Inc. Terms of Purchaser and Limited Warranty. Eagle Tanks, Inc. will require a 50% down payment with confirmed order prior to starting project. The remainder is due and payable upon completion and before delivery unless other billings arrangements are approved by Eagle Tanks, Inc. in writing. Any alterations or deviations from the above specifications involving extra costs of material and / or labor will only be executed upon written order for the same, and will become an extra charge over the sum(s) mentioned in this Bid/contract. A finance charge of 1.5% per month, which is an annual percentage rate of 18%, and will be charged on all past due accounts. All credit cards purchases of 10k or more are subject to 3% processing fee. ALL AGREEMENTS MUST BE MADE IN WRITING

ACCEPTANCE

You are hereby authorized to furnish all materials and labor required to complete the work mentioned in the above proposal for which signer agrees to pay the amount as specified above.

SIGNATURE	
-----------	--

TOTAL



Search over 100,000 Products by Keyword, Category, or Manufacturer

Home > Petroleum > Tanks & Equipment > Flameshield Tanks

> JME Tanks Double Wall Flameshield Tank - 550 Gallons



JME Tanks Double Wall Flameshield Tank - 550 Gallons

SKU: CT550DW1212FLMS49X72

Manufacturer: JME Tanks

Size: 550 Gallon Diameter: 48 in.

Length: 72 in.

Thickness: 12 Gauge





JME Gravity Flow DEF Kits for Totes

\$135.77 - \$193.46



JME Gravity Flow Fuel Tank On Stand - 150 Gallon

\$1,415.66 - \$1,478.99



JME Gravity Flow Fuel Tank On Stand - 270 Gallon

\$1,563.49 - \$1,626.82

Customers Also Viewed




JME Gravity Flow Fuel Tank On Stand - 150 Gallon

\$1,415.66 - \$1,478.99



JME Gravity Flow Fuel Tank On Stand - 270 Gallon

\$1,563.49 - \$1,626.82



JME Tanks AU-270-12P 273 Gallon 12 Gauge Single Wall Horizontal Utility Tank

As Low As:

\$1,008.33

Search over 100,000 Products by Keyword, Category, or Manufacturer

...

Home > Petroleum > Disaster Recovery Equipment > Transfer Pumps

> Fill-Rite FR701V 115V AC Fuel Transfer Pump w/ Manual Nozzle and Meter - 20 GPM















Fill-Rite FR701V 115V AC Fuel Transfer Pump w/ Manual Nozzle and Meter - 20 GPM

SKU: TUFR701V